

JNST PARA
JOURNAL OF NEMATOLOGY

Official Journal of

THE SOCIETY OF NEMATOLOGISTS

VOLUME 13
QUARTERLY IN
1981

Editor-in-Chief

JOSEPH A. VEECH

Editorial Board

James G. Baldwin
B. F. Lownsbery

Joseph A. Veech
A. W. Johnson

Howard Ferris

Associate Editors

Ernest C. Bernard
William W. Carter
George Fassuliotis
T. H. A. Olthoe

David H. MacDonald
Pariz Jatala
Robert Kinloch
A. R. Stone

Technical Editor

Kathleen K. Leabo

CONTENTS

JOURNAL OF NEMATOLOGY

Vol. 13, No. 1

January 1981

Instar Susceptibility of <i>Simulium vittatum</i> (Diptera: Simuliidae) to the Entomogenous Nematode <i>Neoaplectana carpocapsae</i> : Randy Gaugler and Daniel Molloy	1
Symptomatology and Histopathology of Soybean Roots Infected by <i>Pratylenchus scribneri</i> and <i>P. alleni</i> : Nelia Acosta and R. B. Malek	6
Parthenogenesis in the Two Races of <i>Radopholus similis</i> from Florida: R. N. Huettel and D. W. Dickson	13
Karyology and Oogenesis of <i>Radopholus similis</i> (Cobb) Thorne: R. N. Huettel and D. W. Dickson	16
Effect of Foliar Application of Carbofuran and a Related Compound on Plant-parasitic Nematodes under Greenhouse and Growth Chamber Conditions: C. P. DiSanzo	20
Action of Systemic Nematicides in Control of <i>Xiphinema index</i> on Grape: S. L. Hafez, D. J. Raski, and B. Lear	24
Residue Dynamics and Persistence of Aldicarb and Its Biologically Similar Active Metabolites in Grapevines: S. L. Hafez and D. J. Raski	29
Interaction of Fensulfothion and Phorate with Preemergence Herbicides on Soybean Parasitic Nematodes: D. P. Schmitt and F. T. Corbin	37
Dynamics of Concomitant Populations of <i>Hoplolaimus columbus</i> , <i>Scutellonema brachyurum</i> , and <i>Meloidogyne incognita</i> on Cotton: Helmuth Kraus-Schmidt and Stephen A. Lewis	41
Influence of <i>Aphelenchus avenae</i> on Vesicular-arbuscular Endomycorrhizal Growth Response in Cotton: R. S. Hussey and R. W. Roncadori	48
Interaction Between <i>Meloidogyne arenaria</i> and <i>Glomus fasciculatus</i> in Grape: R. A. Atilano, J. A. Menge, and S. D. Van Gundy	52
Influence of <i>Meloidogyne incognita</i> on Fusarium Wilt of Tomato at or below the Minimum Temperature for Wilt Development: J. J. Morrell and J. R. Bloom	57
Identification of the Chromosome Carrying the Factor for Resistance to <i>Meloidogyne incognita</i> in Tobacco: L. J. Slana and J. R. Stavelly	61
Interrelationships of <i>Meloidogyne</i> Species with Flue-cured Tobacco: K. R. Barker, F. A. Todd, W. W. Shane, and L. A. Nelson	67
<i>Sclerostylus</i> n. gen. from Panama and Other Neotropical Species of Leptonchoidea (Dorylaimida): C. G. Goseco, V. R. Ferris, and J. M. Ferris	79

RESEARCH NOTES

Parasitic Habits of <i>Ogma rhombosquamatum</i> and Description of the Male: N. Vovlas and R. N. Inserra	87
Invasion of Sugarbeet Leaf Blades by Larvae of <i>Heterodera schachtii</i> : Arnold E. Steele	91

CONTENTS

JOURNAL OF NEMATOLOGY

Vol. 13, No. 2

April 1981

Oogenesis and the Chromosomes of the Parthenogenic Root-knot Nematode <i>Meloidogyne incognita</i> : A. C. Triantaphyllou	95
Diacyl, Alkylacyl, and Alkenylacyl Phospholipids of <i>Meloidogyne javanica</i> Females: D. J. Chitwood and L. R. Krusberg	105
<i>Pararotylenchus</i> n. gen. (Pararotylenchinae n. subfam., <i>Hoplolaimidae</i>) with Six New Species and Two New Combinations: J. G. Baldwin and A. H. Bell	111
Description and SEM Observations of <i>Dolichodorus marylandicus</i> n. sp. with a Key to Species of <i>Dolichodorus</i> : Stephen A. Lewis and A. Morgan Golden	128
Description of <i>Trilineellus clathrocutis</i> n.g., n.sp. (Tylenchorhynchinae: Tylenchida Thorne, 1949) with a Key to Species and Observations on <i>Tylenchorhynchus</i> sensu stricto: Stephen A. Lewis and A. Morgan Golden	135
Effects of Film Mulch and Soil Pesticides on Nematodes, Weeds, and Yields of Vegetable Crops: A. W. Johnson, C. A. Jaworski, N. C. Glaze, D. R. Sumner, and R. B. Chalfant	141
Influence of Water and Soil Temperature on the Concentration and Efficacy of Phenamiphos for Control of Root-Knot Nematodes: A. W. Johnson, W. A. Rohde, C. C. Dowler, N. C. Glaze, and W. C. Wright	148
Applying Nematicides through an Overhead Sprinkler Irrigation System for Control of Nematodes: A. W. Johnson, J. R. Young, and B. G. Mullinix	154
Species of <i>Phytophthora</i> and <i>Pythium</i> as Nematode-destroying Fungi: S. S. Tzean and R. H. Estey	160
Influence of Nonhosts, Crucifers, and Fungal Parasites on Field Populations of <i>Heterodera schachtii</i> : P. A. Roberts, I. J. Thomason, and H. E. McKinney	164
Infra-species Variation in Reactions to Hosts in <i>Heterodera glycines</i> Population: R. D. Riggs, M. L. Hamblen, and Larry Rakes	171
The Relationship of <i>Heterodera schachtii</i> Population Densities to Sugarbeet Yields: G. D. Griffin	180
The Relationship of Plant Age, Soil Temperature, and Population Density of <i>Heterodera schachtii</i> on the Growth of Sugarbeet: G. D. Griffin	184
Pathological Differences in <i>Heterodera schachtii</i> Populations: G. D. Griffin ..	191
Yield Response and Injury Levels of <i>Meloidogyne incognita</i> and <i>M. javanica</i> on the Susceptible Tobacco 'McNair 944': M. L. Arens and J. R. Rich ..	196
Comparative Studies on Root Invasion, Root Galling, and Fecundity of Three <i>Meloidogyne</i> spp. on a Susceptible Tobacco Cultivar: M. L. Arens, J. R. Rich, and D. W. Dickson	201
Host-Parasite Interaction of Resistant Sugarbeet and <i>Heterodera schachtii</i> : M. H. Yu and A. E. Steele	206

Effect of Soil Texture and the Clay Component on Migration of <i>Meloidogyne incognita</i> Second-stage Juveniles: Jean-Claude Prot and S. D. Van Gundy	213
Influence of Photoperiod and Temperature on Migrations of <i>Meloidogyne</i> Juveniles: Jean-Claude Prot and S. D. Van Gundy	217
Association of <i>Macroposthonia xenoplax</i> and <i>Scutellonema brachyurum</i> with the Peach Tree Short Life Syndrome: W. C. Nesmith, E. I. Zehr, and W. M. Dowler	220

RESEARCH NOTES

A Laboratory Technique for Culturing <i>Filipjevimermis leipsandra</i> , a Nematode Parasite of <i>Diabrotica balteata</i> Larvae (Insecta: Coleoptera): C. S. Creighton and G. Fassuliotis	226
Comparative Susceptibility of Larval Mosquitoes Exposed Separately by Instar or in Mixed Populations to the Nematode <i>Romanomermis culicivorax</i> : James J. Petersen	228
Effects of Culture Age on the Shipment Survival of the Mosquito Parasite <i>Romanomermis culicivorax</i> : James J. Petersen and R. Levy	229
Observations on the Cuticle Ultrastructure of <i>Meloidogyne hapla</i> Males: P. W. Johnson	231
A Technique for Establishing Microplots in the Field: J. T. Johnson, J. R. Rich, and A. W. Boatright	233
Effect of γ -Radiation on Dauer Larvae of <i>Caenorhabditis elegans</i> : Edward Yeagers	235

Vol. 13, No. 3

July 1981

Status and Future of Entomogenous Nematodes: Symposium Introduction: J. J. Petersen	239
Biological Control Potential of Neoaplectanid Nematodes: Randy Gaugler ..	241
Mermithid Parasitism of Black Flies (Diptera: Simuliidae): Daniel P. Molloy ..	250
Biological Control of Mosquitoes with Mermithids: E. G. Platzer	257
Mermithid Parasites of Agricultural Pest Insects: W. R. Nickle	262
Mermithid Nematodes: Physiological Relationships with their Insect Hosts: Roger Gordon	266
Mermithid Nematodes: In Vitro Culture Attempts: Jean R. Finney	275
Commercial Development and Future Prospects for Entomogenous Nematodes: J. J. Petersen and J. M. Cupello	280
Effects of Host Diet on <i>Romanomermis culicivorax</i> , a Mermithid Parasite of Mosquitoes: Roger Gordon, Jacqueline M. Squires, Sally J. Babie, and Ian R. Burford	285

Susceptibility of Various Species of Lepidopterous Pupae to the Entomogenous Nematode <i>Neoaplectana carpocapsae</i> : Harry K. Kaya and Arnold H. Hara	291
Dispersal and Infectivity of the Entomogenous Nematode, <i>Neoaplectana carpocapsae</i> Weiser (Rhabditida: Steinernematidae), in Sand: Patricia L. Moyle and Harry K. Kaya	295
An Algorithm for Fitting Seinhorst Curves to the Relationship between Plant Growth and Preplant Nematode Densities: H. Ferris, W. D. Turner, and L. W. Duncan	300
Sample Optimization for Five Plant-Parasitic Nematodes in an Alfalfa Field: P. B. Goodell and H. Ferris	304
Plant-parasitic Nematodes in Loess Toposequences Planted with Corn: D. C. Norton and M. Oard	314
Enhancement of <i>Cylindrocladium crotalariae</i> Root Rot by <i>Meloidogyne arenaria</i> (Race 2) on a Peanut Cultivar Resistant to Both Pathogens: Mamadou Diomande, M. C. Black, M. K. Beute, and K. R. Barker	321
Damage and Reproductive Potentials of <i>Pratylenchus brachyurus</i> and <i>P. penetrans</i> on soybean: D. P. Schmitt and K. R. Barker	327
Influence of Soil Temperature and pH on <i>Pratylenchus penetrans</i> and <i>P. crenatus</i> in Alfalfa and Timothy: J. Kimpinski and C. B. Willis	333
Effects of Soil Temperature and Planting Date of Wheat on <i>Meloidogyne incognita</i> Reproduction, Soil Populations, and Grain Yield: P. A. Roberts, S. D. Van Gundy, and H. E. McKinney	338
The Development and Influence of <i>Meloidogyne incognita</i> and <i>M. javanica</i> on Wheat: P. A. Roberts and S. D. Van Gundy	345
Resistance of Trisomic and Diploid Hybrids of <i>Beta vulgaris</i> and <i>B. procumbens</i> to the Sugarbeet Nematode, <i>Heterodera schachtii</i> Arnold E. Steele and Helen Savitsky	352
Scanning Electron Microscope Study of the Root-knot Nematode (<i>Meloidogyne incognita</i>) on Tomato Root: W. P. Wergin and D. Orion	358
Resistance and Resistant Reaction of <i>Gossypium arboreum</i> to the Reniform Nematode, <i>Rotylenchulus reniformis</i> : William W. Carter	368
The Effect of <i>Meloidogyne incognita</i> and Tissue Wounding on Severity of Seedling Disease of Cotton Caused by <i>Rhizoctonia solani</i> : William W. Carter	374
Observations on the Morphology of the Pine Wood Nematode, <i>Bursaphelenchus xylophilus</i> : Choi-Pheng Yik and W. Birchfield	376
On the Taxonomy and Morphology of the Pine Wood Nematode, <i>Bursaphelenchus xylophilus</i> (Steiner & Buhner 1934) Nickle 1970: W. R. Nickle, A. M. Golden, Y. Mamiya, and W. P. Wergin	385
Description of <i>Meloidogyne nataliei</i> n. sp. (Nematoda: Meloidogynidae) from Grape (<i>Vitis labrusca</i>) in Michigan, with SEM Observations: A. Morgan Golden, Lindy M. Rose, and George W. Bird	393
<i>Brachydorus swarupi</i> sp. n. (Nematoda: Dolichodorinae) from Soil about Roots of Arecanut Palm in Kerala State, India: P. K. Koshy, D. J. Raski, and V. K. Sosamma	401

Nematicide Treatments of Turfgrass Seed: J. T. Walker and J. Melin	405
Influence of Volcanic Ash on Infectivity and Reproduction of Two Species of <i>Meloidogyne</i> : J. H. O'Bannon and G. S. Santo	409
RESEARCH NOTES	
Beta-Glycosidases from <i>Meloidogyne incognita</i> and <i>M. javanica</i> : J. L. Starr ..	413
A Versatile Nematode Water Bath Apparatus: A. F. Robinson, C. C. Orr, and J. R. Abernathy	415
Foliar Spray Effects of Selected Amino Acids on Sunflower Infected with <i>Meloidogyne incognita</i> : A. A. Osman and D. R. Viglierchio	417
Susceptibility of Pupae of Two Cocoon-forming Lepidopterous Species to the Entomogenous Nematode, <i>Neoaplectana carpocapsae</i> (Rhabditida: Steinernematidae): Patricia L. Moyle and Harry K. Kaya	419
Distribution of <i>Pheromermis pachysoma</i> (Mermithidae) Determined by Paratenic Invertebrate Hosts: George O. Poinar, Jr.	421

Vol. 13, No. 4

October 1981

Neil A. Croll, 1941-1981	427
Abstracts of Papers Presented at the Twentieth Annual Meeting of the So- ciety of Nematologists, Edgewater Inn, Pier 67, Seattle, Washington, 16-19 August 1981	429
Mass Production of the Entomogenous Nematode <i>Heterorhabditis</i> <i>heliothidis</i> (Nematoda: Heterorhabditidae) on Artificial Media: W. M. Wouts	467
Gaseous Requirements for Postparasitic Development of <i>Romanomermis</i> <i>culicivora</i> : J. L. Imbriani and E. G. Platzer	470
On the Transport of Nematodes by the Wind: J. J. Carroll and D. R. Viglierchio	476
Effect of Soil Temperature on the Pathogenicity and Reproduction of <i>Meloidogyne chitwoodi</i> and <i>M. hapla</i> on Russet Burbank Potato: G. S. Santo and J. H. O'Bannon	483
Histopathology of <i>Meloidogyne chitwoodi</i> (Golden et al.) on Russett Bur- bank Potato: A. M. Finley	486
Characterization of Citrus Rootstock Responses to <i>Tylenchulus semipene- trans</i> (Cobb): David T. Kaplan	492
Three New Species of Heteroderoidea (Nematoda) from the Aleutian Islands: E. C. Bernard	499
Identification of <i>Meloidogyne</i> Species on the Basis of Head Shape and Stylet Morphology of the Male: J. D. Eisenback and Hedwig Hirschmann	513
Redescription and Lectotype Designation of <i>Tylenchorhynchus cylindricus</i> Cobb, 1913: Stephen A. Lewis and A. Morgan Golden	521

Effects of Oxygen and Temperature on the Activity and Survival of <i>Nothanguina phyllobia</i> : A. F. Robinson, C. C. Orr, and C. E. Heintz	528
A Soil-free System for Assaying Nematicidal Activity of Chemicals: F. A. Preiser, J. R. Babu, and A. A. Haidri	535
Distribution and Population Dynamics of Nematodes in a Rice Field and Pasture in India: C. C. Mishra and M. C. Dash	538

RESEARCH NOTES

Herbicide Effects in Nematode Diseases: A. A. Osman and D. R. Viglierchio	544
Parasitism of Walnut, <i>Juglans regia</i> , by <i>Cacopaurus pestis</i> : R. N. Inserra and N. Vovlas	546
Pathogenicity of the Columbia Root-knot Nematode (<i>Meloidogyne chit- woodi</i>) on Wheat, Corn, Oat, and Barley: G. S. Santo and J. H. O'Ban- non	548

INDEX FOR VOLUME 13 (1981)	2
----------------------------------	---

TABLE OF CONTENTS FOR VOLUME 13 (1981)	i-vii
--	-------

BACK ISSUES OF JOURNAL OF NEMATOLOGY
AVAILABLE AT REDUCED PRICES

Single volumes 1 through 11 are available at \$8.00 for subscribers (\$76.00 for complete set of 11 volumes), *or* \$6.00 per volume for any member of the Society of Nematologists (\$62.00 for complete set of 11 volumes). Volume 12 may be purchased by subscribers for \$13.00 or by members for \$10.00. Add \$1.25 per volume for postage and handling in the USA; \$2.50 per volume outside of USA.

Please indicate volumes desired and send check or money order, including postage and handling to: Dr. Richard S. Hussey, Dept. of Plant Pathology, University of Georgia, Athens, GA 30602.